

PCN Number:	20230210000.1	PCN Date:	March 07, 2023
--------------------	---------------	------------------	----------------

Title:	Qualification of TI CDAT as Additional Assembly Site for Select QFN Package Device		
---------------	--	--	--

Customer Contact:	PCN Manager	Dept:	Quality Services
--------------------------	-----------------------------	--------------	------------------

Proposed 1st Ship Date:	June 08, 2023	Sample requests accepted until:	Apr 08, 2023*
---	---------------	--	---------------

*Sample requests received after (Apr 08, 2023) will not be supported.

Change Type:			
<input checked="" type="checkbox"/>	Assembly Site	<input type="checkbox"/>	Design
<input type="checkbox"/>	Assembly Process	<input type="checkbox"/>	Data Sheet
<input checked="" type="checkbox"/>	Assembly Materials	<input type="checkbox"/>	Part number change
<input type="checkbox"/>	Mechanical Specification	<input type="checkbox"/>	Test Site
<input checked="" type="checkbox"/>	Packing/Shipping/Labeling	<input type="checkbox"/>	Test Process
<input type="checkbox"/>		<input type="checkbox"/>	Wafer Bump Site
<input type="checkbox"/>		<input type="checkbox"/>	Wafer Bump Material
<input type="checkbox"/>		<input type="checkbox"/>	Wafer Bump Process
<input type="checkbox"/>		<input type="checkbox"/>	Wafer Fab Site
<input type="checkbox"/>		<input type="checkbox"/>	Wafer Fab Materials
<input type="checkbox"/>		<input type="checkbox"/>	Wafer Fab Process

PCN Details

Description of Change:

Texas Instruments Incorporated is announcing the qualification TI CDAT as Additional Assembly Site for select device listed in the "Product Affected" Section. Current assembly sites and Material differences are as follows.

Assembly Site	Assembly Site Origin	Assembly Country Code	Assembly Site City
UTAC	NSE	THA	Bangkok
TI CDAT	CDA	CHN	Chengdu

Material Differences:

	UTAC	TI CDAT
Mount Compound	PZ0035	4207123
Wire Type	1mil Cu	0.8mil Cu
Lead finish	Matte Sn	NiPdAu

Package Outline Differences:

UTAC	TI CDAT
Wettable Flank	Non-Wettable Flank

Reason for Change:

Continuity of supply.

- 1) To align with world technology trends and use wiring with enhanced mechanical and electrical properties
- 2) Maximize flexibility within our Assembly/Test production sites.
- 3) Cu is easier to obtain and stock

Anticipated impact on Form, Fit, Function, Quality or Reliability (positive / negative):

None

Impact on Environmental Ratings:

Checked boxes indicate the status of environmental ratings following implementation of this change. If below boxes are checked, there are no changes to the associated environmental ratings.

RoHS	REACH	Green Status	IEC 62474
<input checked="" type="checkbox"/> No Change	<input checked="" type="checkbox"/> No Change	<input checked="" type="checkbox"/> No Change	<input checked="" type="checkbox"/> No Change

Changes to product identification resulting from this PCN:

Assembly Site		
UTAC	Assembly Site Origin (22L)	ASO: NSE
TI-CDAT	Assembly Site Origin (22L)	ASO: CDA

Sample product shipping label (not actual product label)

Product Affected:

LM25145RGYR	LM25145RGYT	LM5146RGYR
-------------	-------------	------------

Qualification Report

Approve Date 04-Mar-2022

Qualification Results

Data Displayed as: Number of lots / Total sample size / Total failed

Type	#	Test Name	Condition	Duration	Qual Device: <u>LM5146RGYR</u> and <u>LM5145RGYR</u>	QBS Reference: <u>UCC27282QDRCRO1</u>	QBS Reference: <u>LM74810QDRRRO1</u>	QBS Reference: <u>TS3A5017QRGYRQ1</u>
HAST	A2	Biased HAST	130C	96 Hours	QBS	3/231/0	3/231/0	3/231/0
UHAST	A3	Autodave	121C/15psig	96 Hours	QBS	-	3/231/0	3/231/0

UHAST	A3	Unbiased HAST	130C	96 Hours	QBS	3/231/0	-	-
TC	A4	Temperature Cycle	-65C/150C	500 Cycles	QBS	3/231/0	3/231/0	3/231/0
HTSL	A6	High Temperature Storage Life	150C	1000 Hours	QBS	3/135/0	3/135/0	3/135/0

QBS: Qual By Similarity

Qual Device LM5146RGYR and LM5145RGYR are qualified at MSL2 260C

Quality and Environmental data is available at TI's external Web site : <http://www.ti.com/Green/Pb-free>

Status: Qualified Pb-Free(SMT) and Green

For questions regarding this notice, e-mails can be sent to the regional contacts shown below or your local Field Sales Representative.

Location	E-Mail
WW PCN Team	PCN_ww_admin_team@list.ti.com

IMPORTANT NOTICE AND DISCLAIMER

TI PROVIDES TECHNICAL AND RELIABILITY DATA (INCLUDING DATASHEETS), DESIGN RESOURCES (INCLUDING REFERENCE DESIGNS), APPLICATION OR OTHER DESIGN ADVICE, WEB TOOLS, SAFETY INFORMATION, AND OTHER RESOURCES "AS IS" AND WITH ALL FAULTS, AND DISCLAIMS ALL WARRANTIES, EXPRESS AND IMPLIED, INCLUDING WITHOUT LIMITATION ANY IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT OF THIRD PARTY INTELLECTUAL PROPERTY RIGHTS.

These resources are intended for skilled developers designing with TI products. You are solely responsible for (1) selecting the appropriate TI products for your application, (2) designing, validating and testing your application, and (3) ensuring your application meets applicable standards, and any other safety, security, or other requirements. These resources are subject to change without notice. TI grants you permission to use these resources only for development of an application that uses the TI products described in the resource. Other reproduction and display of these resources is prohibited. No license is granted to any other TI intellectual property right or to any third party intellectual property right. TI disclaims responsibility for, and you will fully indemnify TI and its representatives against, any claims, damages, costs, losses, and liabilities arising out of your use of these resources.

TI's products are provided subject to TI's Terms of Sale (www.ti.com/legal/termsofsale.html) or other applicable terms available either on ti.com or provided in conjunction with such TI products. TI's provision of these resources does not expand or otherwise alter TI's applicable warranties or warranty disclaimers for TI products.